

```


#####
#####
##### inside-outside##### nat#####

```

<http://blog.csdn.net/dog250>

Virtual Interface

[illegible]



#####

R3 80#####

R2#####

R3

#####

```
ip nat inside source static tcp 10.1.12.2 80 61.128.1.1 8000
```

```
ip nat inside source static tcp 10.1.12.2 80 61.128.1.3 80
```

```
ip nat inside source list NAT interface e0/0 overload
```

```
interface e0/0
```

```
ip nat outside
```

```
interface e0/1
```

```
ip nat inside
```

```
##### NVI NAT
```

```
ip nat source static tcp 10.1.12.2 80 61.128.1.1 8000
```

```
ip nat source static tcp 10.1.12.2 80 61.128.1.3 80
```

```
ip nat source list NAT interface e0/0 overload
```

```
interface e0/0
```

```
ip nat enable
```

```
interface e0/1
```

```
ip nat enable
```

```
##### NVI NAT
```

```
#####
```

```
interface e0/0
```

```
no ip redirects
```

```
interface e0/1
```

```
no ip redirects
```

```
#####
```

show ip nat nvi translations

```
sh ip nat nvi translations
```

Pro	Source global	Source local	Destin local	Destin global
tcp	61.128.1.1:28909	10.1.11.2:28909	61.128.1.3:80	10.1.12.2:80
tcp	61.128.1.1:8000	10.1.12.2:80	---	---

```
##### OK#####
```

```
R2#####
```

```
R3#####
```

nat

```
#####
```

Revision #1

Created 19 May 2025 03:13:21 by Admin

Updated 19 May 2025 03:15:48 by Admin