

win11????Codex???

```
## "Codex" "OpenAI" **Codex CLI** — AI Windows 11
WSL
5 10
**PowerShell** "PowerShell"
```

```
## Codex
```

```
Codex CLI OpenAI ** AI ** GitHub `openai/codex`
- Bug
-
- 
```

```
**Windows 11 WSL ** ChatGPT Plus/Pro/Business/Edu
OpenAI API Key
```

```
## Node.js
```

```
```powershell
1.
node -v
npm -v
```
```

```
Windows winget
```

```
```powershell
winget install --id OpenJS.NodeJS.LTS -e
```
```

```
** PowerShell ** `node -v` v22.x
```

```
## 90%
```

```
npm `...npm.ps1` `
```

```
```powershell
Set-ExecutionPolicy -Scope CurrentUser -ExecutionPolicy RemoteSigned
```
```

```
`Y`
```

安装 Codex CLI

```powershell

# 安装 npm 镜像

npm install -g @openai/codex --registry=https://registry.npmmirror.com

# 安装

codex --version

```

> 安装 `codex` 包

PATH 设置

配置

在 `codex` 包中

| 包 | 名称 | 描述 |

|-----|-----|-----|

| **ChatGPT 包** | 包含 Plus/Pro 模型 | 用于生成文本 |

| **API Key** | 包含 OpenAI API 密钥 | 用于平台.openai.com 的 `sk-...` 密钥 |

在配置文件中设置 `"%USERPROFILE%\codex\config.toml"`

```toml

model = "gpt-5.4-codex"

model\_provider = "openai"

```

使用

- 安装 npm 包 → 安装 `--registry` 包

- 安装 / 安装 OpenAI 包 → 安装 OpenAI 包 **安装** API

在配置文件中设置 `config.toml`

```toml

model\_provider = "openai"

base\_url = "https://registry.npmmirror.com/v1"

api\_key = "sk-... key"

model = "gpt-5.4-codex"

```

⚠ 安装 OpenAI 包

OpenAI 包

安装

```powershell  
codex  
```


- `##### Express #####`
- `##### console.log ##### logger.info`
- `##### 10 #####`

`/model` ##### `/approval-mode` #####

#####

##	##	##	
npm #####	#####	#####	
`npm install`	EPERM	#####	PowerShell##### ` \$env:APPDATA\npm`
`codex` #####	PATH #####	`npm config get prefix` ##### PATH	
##### api-ms-win-crt	VC++ #####	Visual C++ Redistributable	
#####	##### bug	##### `npm install -g @openai/codex@0.119.0`	

`npm install -g @openai/codex@latest`

`config.toml`
#####