

??v10 kylin v10 ??firewall ??????????

■■■■■■■■■■■■■■■■

```
“ □ firewall-cmd --reset-default-zone □ firewalld ■■■■■■■■■■
```

■■■■■■■■■■■■■■■■

? ??????????????

□□ public zone □□□□

```
sources: 10.2.2.0/24 ← □□  
ports: □□□□□□  
masquerade: no
```

□□□

? ???????“?????”

□□□

```
“ △ zone ■■■■■■■■■■ reset □□□□
```

? ??“?????????”????Kylin V10 ???

? ??1????????? zone + ????????

1?? ????? ports

```
for p in 80 443 8070 20881 8082 20853 8086 20835 4443; do
    firewall-cmd --permanent --zone=public --remove-port=${p}/tcp
done
```

2?? ?? source????

□□□□

```
sources: 10.2.2.0/24
```

□□

```
firewall-cmd --permanent --zone=public --remove-source=10.2.2.0/24
```

3?? ?? ssh / ?????

```
firewall-cmd --permanent --zone=public --add-service=ssh
```

4?? reload

```
firewall-cmd --reload
```

? ??2????????? public zone ?????

□□□ "□□□□□□" □□□□

```
systemctl stop firewalld

rm -f /etc/firewalld/zones/public.xml
```

```
systemctl start firewalld
```

❌ ❌❌ firewalld ❌❌❌❌❌ public zone

? ??3????????????? firewalld

```
systemctl stop firewalld
rm -rf /etc/firewalld
yum reinstall firewalld -y # ❌ dnf
systemctl start firewalld
```

❌ ❌❌❌❌ “❌❌❌❌❌” ❌

?? ??????????????????

```
sources: 10.2.2.0/24
```

❌❌❌❌

```
“❌❌❌❌❌ firewalld ❌❌❌❌❌”
```

❌❌❌❌❌

- ❌❌❌❌❌
- ❌❌❌❌❌❌
- Docker + firewalld ❌❌

? ????????

❌❌	❌❌❌
reset-default-zone	❌ ❌❌
remove-port + reload	✓ ❌❌❌

☐☐	☐☐☐
☐☐ zone XML	✓ ☐☐
☐☐ firewalld	✓ ☐☐

? ? ? ? ? ? ? ? ? ? ? ? ? ? ?

☐☐☐☐☐☐☐☐☐☐

☐☐ ☐☐☐☐☐☐☐☐

```
rm -f /etc/firewalld/zones/public.xml
systemctl restart firewalld
```

☐☐☐☐☐☐☐☐

- ssh
- ☐☐☐☐ 80/443

☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐

“☐☐ V10 + Docker + ☐☐☐☐

☐☐☐☐☐☐☐☐

- ✓ ☐☐☐☐☐☐☐☐
- ✓ DOCKER-USER ☐☐☐☐☐☐☐☐
- ✓ firewalld ☐☐☐☐☐☐☐☐
- ✓ ☐☐☐☐☐☐ “☐☐☐☐☐☐ / ☐☐☐☐☐☐ ”

☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐☐