



```

FLUSH PRIVILEGES;

-- quit MySQL
quit;

-- localhost
DROP USER 'tacport'@'localhost';

-- 
CREATE USER 'tacport'@'%' IDENTIFIED BY 'Pas5*w0rd';

-- 
GRANT ALL PRIVILEGES ON tacport.* TO 'tacport'@'%' ;

-- 
FLUSH PRIVILEGES;

```

## docker

3

4

5 docker.hub

6 docker.hub

7 TacPort docker

8

?? TP4A ???QQ?????docker????? tacport v4.0.7-preview  
 ????????

????????? tacport-server-4.0.7-preview-docker-img.tar.gz ?????? docker  
 save ?????????? gnuzip ?????????? docker ??????????

**Linux macOS**

shell

```

gnuzip -c ./tacport-server-4.0.7-preview-docker-img.tar.gz | docker l
# ??????????gnuzip?????gzip???
gzip -c -d ./tacport-server-4.0.7-preview-docker-img.tar.gz | docker

```







- `????tag: docker tag [[:TAG]] [[:TAG]] [???`  
`tp4a/tacport:4.0.7 tp4a/tacport:latest [????????tag??????] [?:tag`  
`????????????????????????????????????`
- `????/???` `docker rmi [[:TAG]] [??]`

## ❑ docker-compose ❑❑❑

`?????? docker-compose [????????????????????????????????] -f [??????????????]`

- `?????` `docker compose up -d [?] -d [????docker-compose??????????]`
- `?????` `docker compose down`
- `????????????????????????` `docker-compose up -d [?]`
- `?????????` `docker compose restart [??] [????????????????????????] docker compose`  
`restart tpnodel`
- `?????` `docker compose ps`
- `?????` `docker compose stats [????????????????????] Ctrl-C [??]`

Revision #2

Created 23 September 2025 06:49:20 by Admin

Updated 23 September 2025 07:49:24 by Admin