

XRDP RDP Rime

XRDP RDP

Rime

missing input schema: luna_pinyin
missing input schema: luna_pinyin_simp
missing input schema: luna_pinyin_fluency
...

Rime

RDP

Rime

(schema)

Linux Rime

~/.config/ibus/rime/

~/.local/share/rime/

SRDP RDP

SRDP / xRDP / RDP

- RDP

- -
 -
 -
 -

--	--	--


```
/home/youruser/.config/ibus/rime
```

[illegible]

`/tmp` ☐ `/root` ☐☐☐☐☐ $\rightarrow$ ☐☐☐☐

```
/tmp/rime.ibus.ERROR
```

[illegible]

□□ RDP □□□□□□□□

```
echo $HOME
echo $XDG_CONFIG_HOME
env | grep RIME
```

--	--	--	--	--	--	--	--

[illegible]

```
ls ~/.config/ibus/rime/
ls ~/.local/share/rime/
```

□□ RDP □□□□□□□□□□□□□□□□

[illegible]

1

Rime

RDP

```
mkdir -p ~/.local/share/rime
cp -r ~/.config/ibus/rime/* ~/.local/share/rime/
rime-rdp
cp -r /home/shuncom/.config/ibus/rime/* /root/.config/ibus/rime/
```

RDP Rime

```
ibus restart
rime_deployer --build
```

2 Rime

```
nano ~/.profile
```

```
export RIME_USER_DATA_DIR=$HOME/.config/ibus/rime
```

RDP

```
source ~/.profile
ibus restart
```

RDP Rime

3

xRDP

```
~/.xsession
```

□□□□

```
export XIM_PROGRAM=ibus
export GTK_IM_MODULE=ibus
export QT_IM_MODULE=ibus
export XMODIFIERS=@im=ibus
export RIME_USER_DATA_DIR=$HOME/.config/ibus/rime
ibus-daemon -drx
```

□□□□□□□□

missing schema

Rime □□□□□□□□

```
luna_pinyin
luna_pinyin_simp
terra_pinyin
bopomofo
```

□□□□□□

```
/usr/share/rime-data/
```

RDP □□□□□□□□ □□□□□□□□ □□□□ missing□

□□□□□□□□□□□□□□□□□□

□□□□□□

□□□□□□□□

```
mkdir -p ~/.local/share/rime
cp -r /usr/share/rime-data/* ~/.local/share/rime/
cp -r ~/.config/ibus/rime/* ~/.local/share/rime/
```

```
echo 'export RIME_USER_DATA_DIR=$HOME/.local/share/rime' >> ~/.profile

ibus restart
```

📄 📄 **RDP** 📄 📄



📄 📄 📄 Rime📄 📄 📄

🔧

SRDP / RDP 📄 📄 📄 📄 📄 📄
📄 📄 📄 📄 📄 📄 📄 📄 📄 📄

Rime 📄 📄 📄 📄 📄 📄

schema



- xRDP
- 📄 GNOME 📄 📄 📄 📄
- 📄 freerdp

📄 📄 📄 📄 📄 📄 📄 📄 📄 📄